

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28049	((digital adj3 (imaging or captur\$5 or camera)) with ((image adj3 (reproduc\$5 or forming)) or (print adj3 (device or apparatus)) or printer or printing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:08
S2	4	S1 and ((digital adj3 (imaging or captur\$5 or camera)) with (slot or inlet or hole)) same ((slot or inlet or hole) with (card)) same (card with (barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:10
S3	4	S1 and ((digital adj3 (imaging or captur\$5 or camera)) with (slot or inlet or hole)) same ((slot or inlet or hole) with (paper or sheet or document or card)) same ((paper or sheet or document or card) with (barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:11
S4	37051	((digital adj3 (imaging or captur\$5 or camera)) same ((image adj3 (reproduc\$5 or forming)) or (print adj3 (device or apparatus)) or printer or printing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:11
S5	5	S4 and ((digital adj3 (imaging or captur\$5 or camera)) with (slot or inlet or hole)) same ((slot or inlet or hole) with (paper or sheet or document or card)) same ((paper or sheet or document or card) with (barcod\$3 or bar or glyph or (read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:11

		adj2 code)))				
S6	43	S4 and ((digital adj3 (imaging or captur\$5 or camera))) same ((memory or flash or stor\$5) near3 (card)) same ((card) with (barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:13
S7	44	S4 and ((digital adj3 (imaging or captur\$5 or camera))) same ((memory or flash or stor\$5) near3 (card)) same ((card) with (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:16
S8	50	S4 and ((digital adj3 (imaging or captur\$5 or camera))) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card)) same ((stick or card) with (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:18
S9	45517	((((digital or video) adj3 (imaging or captur\$5 or camera)) same ((image adj3 (reproduc\$5 or forming)) or (print adj3 (device or apparatus)) or printer or printing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:46

S10	66	S9 and (((video or digital) adj3 (imaging or captur\$5 or camera))) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card)) same ((stick or card) with (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:47
S11	9	S9 and (((video or digital) adj3 (imaging or captur\$5 or camera))) same (slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card)) same ((stick or card) with (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:48
S12	51	S9 and (((video or digital) adj3 (imaging or captur\$5 or camera))) same (slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card)) and ((stick or card) with (watermark \$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:49

S13	26	S9 and (((video or digital) adj3 (imaging or captur\$5 or camera))) same (slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card))) and (((stick or card) with (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((scan\$5 or read \$3 or sens\$3) near3 (watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:57
S14	37	S9 and (((video or digital) adj3 (imaging or captur\$5 or camera))) same (slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card))) and (((stick or card) with (character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:02

S15	1012	(camera near3 scanner).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:06
S16	57	(((((video or digital) adj3 (imaging or captur\$5 or camera))) same (slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (stick or card))) and (((stick or card) with (character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:08
S17	62	(((((video or digital) adj3 (imaging or captur\$5 or camera))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:12

		same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S18	65	(((((video or digital) adj3 (copier or copying or imaging or captur\$5 or camera))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:16
S19	3	(((((video or digital) same (copier or copying))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:17

		card) with (character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))			
S20	20	((video or digital) same (copier or copying))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON 2009/06/01 12:18

S21	58	(((copier or copying))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:23
S22	61	(((copier or copying))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:24

		((read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or read\$3 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S23	24	(((copier or copying))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28

S24	174	(((((copier or copying or camera)))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:50
S25	78	S24 and ((combin\$5 or merg\$5 or manipul\$5 or adjust\$5 or compos\$5 or synthes\$6 or effect) same (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)) same ((scan\$5 or captur\$5 or read\$3) near4 (image or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:52

		picture)))				
S26	107	S24 and ((combin\$5 or merg\$5 or manipul\$5 or adjust\$5 or compos\$5 or synthes\$6 or effect) same ((scan\$5 or captur\$5 or read\$3) near4 (image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:55
S27	1	"20010015760".pn. and ("123" same buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:18
S28	1	"20010015760".pn. and ("124" same buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:18
S29	1	"20010015760".pn. and (buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:19
S30	1	"20010015760".pn. and ("72")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:19
S31	1	"20010015760".pn. and (identificat\$5 with stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:20
S32	107	S24 and ((combin\$5 or merg\$5 or manipul\$5 or adjust\$5 or compos\$5 or synthes\$6 or effect or hybrid) same ((scan\$5 or captur\$5 or read\$3) near4 (image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:27
S33	22	S24 and ((combin\$5 or merg\$5 or manipul\$5 or adjust\$5 or compos\$5 or synthes\$6 or effect or hybrid) same ((scan\$5 or captur\$5 or read\$3) near4 (image or picture))) same (buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:28

S34	26	S24 and ((microcontrol \$5 or mpu or cpu or mcu) with (buffer\$5 or memory or register or stor\$5)) same (((scan \$5 or captur\$5 or read \$3) near4 (image or picture)) with (buffer\$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:34
S35	1	"20010015760".pn. and ("120" with "124")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:37
S36	1	"656791".ap. and vliw with "72"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:40
S37	0	"20010015760".pn. and (cpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:41
S38	1	"20010015760".pn. and (processing adj2 unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:42
S39	1	"20010015760".pn. and "136"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:42
S40	0	"20010015760".pn. and (tag\$5 with "124")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:44

S41	1	"20010015760".pn. and (tag\$5 same "124")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:44
S42	1	"20010015760".pn. and "127"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:44
S43	1	"20010015760".pn. and "24"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:47
S44	1	"20010015760".pn. and "140"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:48
S45	23	S24 and ((microcontrol \$5 or mpu or cpu or mcu) with (buffer\$5 or memory or register or stor\$5)) same (((scan \$5 or captur\$5 or read \$3 or sens\$3) near4 (image or picture)) with (buffer\$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:16

S46	536	((copier or copying or camera))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (magnetic\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (magnetic\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:20
S47	36	S46 and ((microcontrol \$5 or mpu or cpu or mcu) with (buffer\$5 or memory or register or stor\$5)) same (((scan \$5 or captur\$5 or read \$3 or sens\$3) near4 (image or picture)) with (buffer\$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:21

		identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S48	844	((copier or copying or camera))) same (port or compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (magnetic\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (magnetic\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:23

S49	229	S48 and ((microcontrol \$5 or mpu or cpu or mcu or processor or processing) with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (image or picture)) with (buffer \$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:24
S50	112	S48 and ((microcontrol \$5 or mpu or cpu or mcu or processor or processing) with interfac\$3 with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (image or picture)) with interfac \$3 with (buffer\$5 or memory or register or stor\$5)) same ((buffer \$5 or memory or register or stor\$5) with interfac\$3 with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:27

		\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))				
S51	117	S48 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (buffer\$5 or memory or register or stor\$5)) same (interfac\$3 with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (image or picture)) with (buffer\$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:30
S52	1	S51 and "396".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:36
S53	3	S51 and "348".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:38

S54	106	S48 and ((microcontrol \$5 or mpu or cpu or mcu or processor or processing) with (buffer \$5 or memory or register or stor\$5)) same ((one or single) with interfac\$3 with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (image or picture)) with (buffer \$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:39
S55	229	S48 and ((microcontrol \$5 or mpu or cpu or mcu or processor or processing) with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (image or picture)) with (buffer \$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:41

		or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S56	1	"20010015760".pn. and film adj2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:56
S57	1	"20010015760".pn. and ((id or identif\$9) near3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:02
S58	0	"20010015760".pn. and ((id or identif\$9) near3 "126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:02
S59	0	"20010015760".pn. and ((id or identif\$9) near9 "126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:03
S60	1	"20010015760".pn. and ((id or identif\$9) same "126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:03
S61	1	"20010015760".pn. and ((id or identif\$9) same "127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:03
S62	1	"20010015760".pn. and film adj2 mode adj2 image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:04
S63	1	"20010015760".pn. and ((tag\$5) same "127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:10
S64	1	"20010015760".pn. and ((tag\$5) same "126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:11
S65	1	"20010015760".pn. and ((identif\$8) with ("126" or "127"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:12
S66	1	"20010015760".pn. and ((identif\$8 or id) with ("126" or "127"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:12

S67	1	"20010015760".pn. and ((identifi\$8 or id) with (memory "126" or "127"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:12
S68	1	"20010015760".pn. and ((identifi\$8 or id) with (stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:14
S69	1	"20010015760".pn. and ((cartridge adj3 (identifi\$8 or id)) with "120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:23
S70	1	"20010015760".pn. and (film adj2 mode adj2 image adj4 stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:28
S71	1	"20010015760".pn. and (film adj2 mode adj2 image near4 stor\$5 with tag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:29
S72	1	"20010015760".pn. and (film adj2 mode adj2 image with tag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:29
S73	1	"20010015760".pn. and ("72" with interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:31
S74	1	"20010015760".pn. and ("72" with interfac\$5) same "68"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:32
S75	1	"20010015760".pn. and ("72") with "68"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:34
S76	2	2002/0024603.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:43
S77	2	"20020024603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:43

S78	174	(((copier or copying or camera))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:24
S79	26	S78 and ((microcontrol \$5 or mpu or cpu or mcu) with (buffer\$5 or memory or register or stor\$5)) same (((scan \$5 or captur\$5 or read \$3) near4 (image or picture)) with (buffer\$5 or memory or register or stor\$5)) same ((buffer\$5 or memory or register or stor\$5) with (effect or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:24

		or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S80	182	((copier or copying or camera or (image adj2 capturing)))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:27
S81	45	S80 and ((copier or copying or camera or (image adj2 capturing)) with (microcontrol\$5 or mpu or cpu or mcu or (central adj3 process \$5) or micro-control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:28

S82	9	S81 and ((microcontrol\$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5 or connect\$5 or receiv\$5 or hold\$3 or transmi\$7 or send\$3 or sent) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:30
S83	0	S80 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:31
S84	209	((copier or copying or camera or (image adj2 capturing)))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or print\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:32

		text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S85	0	S84 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:33
S86	495	((copier or copying or camera or (image adj2 capturing)))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or print\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:33
S87	0	S86 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:34

S88	110	S86 and ((copier or copying or camera or (image adj2 capturing)) with (microcontrol\$5 or mpu or cpu or mcu or (central adj3 process \$5) or micro-control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:34
S89	22	S88 and ((microcontrol \$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5 or connect\$5 or receiv \$5 or hold\$3 or transmi \$7 or send\$3 or sent) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:34
S90	515	((((copier or copying or camera or (image adj2 capturing)))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or print\$3 or pc) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:42

		id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S91	111	S90 and ((copier or copying or camera or (image adj2 capturing)) with (microcontrol\$5 or mpu or cpu or mcu or (central adj3 process \$5) or micro-control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:44
S92	22	S91 and ((microcontrol \$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5 or connect\$5 or receiv \$5 or hold\$3 or transmi \$7 or send\$3 or sent) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:44
S93	709	((((copier or copying or camera or (image adj2 capturing)))) same (housing or compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or print\$3 or pc or film) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:45

		character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))				
S94	143	S93 and ((copier or copying or camera or (image adj2 capturing) with (microcontrol\$5 or mpu or cpu or mcu or (central adj3 process \$5) or micro-control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:46
S95	29	S94 and ((microcontrol \$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (buffer \$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5 or connect\$5 or receiv \$5 or hold\$3 or transmi \$7 or send\$3 or sent) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:46

S96	710	(((((copier or copying or camera or (image adj2 (sensing or capturing)))))) same (housing or compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or print\$3 or pc or film) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:48
S97	1	S96 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:49
S98	1	"20010015760".pn. and ("106" or "107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:50
S99	1	"20010015760".pn. and ("68" with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:52

S100	0	"20010015760".pn. and (holding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:53
S101	1	"20010015760".pn. and (held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:53
S102	1	"20010015760".pn. and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:53
S103	1	"20010015760".pn. and ("70" with (film adj2 image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:02
S104	1	"20010015760".pn. and ("70" with (hybrid adj2 image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:04
S105	1	"20010015760".pn. and ((hybrid adj2 image) with captur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:04
S106	1	"20010015760".pn. and "125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:07
S107	1	"20010015760".pn. and ((film adj2 mode adj2 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:09
S108	1	"20010015760".pn. and (tag\$5 with cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:13
S109	1	"20010015760".pn. and (tag\$5 with ("126" or "125" or "127"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:14
S110	0	"20010015760".pn. and (iif same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:17
S111	1	"20010015760".pn. and (id adj2 file same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:17

S112	0	"20010015760".pn. and ((film adj2 mode adj2 digital) with "120")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:24
S113	0	"20010015760".pn. and ("120" with (receiv\$5) with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:29
S114	1	"20010015760".pn. and ("120" with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:29
S115	1	"20010015760".pn. and ("120" with image with ("70" or "72"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:30
S116	1	"20010015760".pn. and ("120" with fifo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:31
S117	0	"20010015760".pn. and ("120" with image with ("68"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:31
S118	1	"20010015760".pn. and ("120" with ("68"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:31
S119	1	"20010015760".pn. and ("122" with ("68"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:32
S120	0	"20010015760".pn. and ("122" with (cartridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:32
S121	1	"20010015760".pn. and ("122")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:32

S122	1336	(((((copier or copying or camera or (image adj2 capturing)))) same (housing or compartment or slot or inlet or insertion or hole) same ((cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code))) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcod \$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:36
S123	265	S122 and ((copier or copying or camera or (image adj2 capturing)) with (microcontrol\$5 or mpu or cpu or mcu or (central adj3 process \$5) or micro-control\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:37
S124	44	S123 and ((microcontrol \$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (fifo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:37

		or connect\$5 or receive\$5 or hold\$3 or transmit\$7 or send\$3 or sent) with (buffer\$5 or fifo or memory or register or storage\$5))				
S125	709	((copier or copying or camera or (image adjacent capturing)))) same (housing or compartment or slot or inlet or insertion or hole) same ((memory or flash or storage\$5 or instruction or image or picture or process\$3 or print\$3 or pc or film) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcode\$3 or bar or glyph or (read\$3 adjacent code))) same ((read\$3 or ocr or recognize\$7 or scan\$5 or sense\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed \$5) near3 (code or instruction)) or barcode\$3 or bar or glyph or (read\$3 adjacent code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:25
S126	143	S125 and ((copier or copying or camera or (image adjacent capturing)) with (microcontroller\$5 or mpu or cpu or mcu or (central adjacent process \$5) or micro-controller\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:25

S127	29	S126 and ((microcontrol\$5 or mpu or cpu or mcu or (central adj3 process\$5) or micro-control\$5) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or pel or image or picture)) with (input\$5 or connect\$5 or receiv\$5 or hold\$3 or transmi\$7 or send\$3 or sent) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:25
S128	163	((copier or copying or camera or (image adj2 capturing)) same (housing or compartment or slot or inlet or insertion or hole) same ((program\$5) near3 (cartridge or stick or card))) and ((cartridge or stick or card) with (program\$5)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (cartridge or stick or card or program\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:32
S129	0	S128 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:33
S130	164	((copier or copying or camera or (image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole) same ((program\$5) near3 (cartridge or stick or card))) and ((cartridge or stick or card) with (program\$5)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:33

		(cartridge or stick or card or program\$5))				
S131	0	S130 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:33
S132	132	((copier or copying or camera or (image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole)) and ((cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (process \$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:37
S133	0	S132 and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:38
S134	10	S132 and silverbrook	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:38

S135	153	((copier or copying or camera or (image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole)) and ((cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:38
S136	23	S135 and silverbrook	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39
S137	150	((camera or (image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole)) and ((cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (cartridge or stick or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:39

		card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))				
S138	43	(((((image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole)) and ((cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:40
S139	140	((camera) same (housing or compartment or slot or inlet or insertion or hole)) and ((cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:41

		sens\$3) near3 (cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat \$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc \$6 or chang\$3) with (program\$5 or instruction)))				
S140	35	S138 and ((image adj2 (sens\$3 or capturing)) same camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:42
S141	143	S139 or S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:42
S142	84	S141 and ("348".clas. or "396".clas. or "358". clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:53
S143	220	((camera) same (port or housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole or port)) and (((paper or document or sheet or cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (paper or document or sheet or cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat \$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc \$6 or chang\$3) with	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:59

		(program\$5 or instruction)))				
S144	64	(((((image adj2 (sens\$3 or capturing))) same (housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole)) and (((paper or document or sheet or cartridge or stick or card) with (program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (paper or document or sheet or cartridge or stick or card or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:00
S145	48	S144 and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:01
S146	36	S143 and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:01
S147	232	S143 or S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:02
S148	142	S147 and ("348".clas. or "396".clas. or "358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:02

S149	56	S148 and ((paper or document or sheet or cartridge or stick or card) with (encod\$5 or cod\$3 or written or embed\$5 or barcod\$3 or bar or watermark\$5 or magneti\$5 or optical \$5) with (program\$5 or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:03
S150	92	S148 and ((paper or document or sheet or cartridge or stick or card) with (print\$3 or record\$5) with (program \$5 or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:06
S151	144	S147 and ((paper or document or sheet or cartridge or stick or card) with (print\$3 or record\$5) with (code or program\$5 or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:19
S152	222	((camera) same (port or housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole or port)) and (((paper or document or sheet or cartridge or stick or card) with (code or coding or coded or program\$5 or instruction)) same ((read\$3 or ocr or recogn\$7 or scan\$5 or sens\$3) near3 (paper or document or sheet or cartridge or stick or card or code or coding or coded or program\$5 or instruction)) same ((image or pixel or picture) with (manipulat \$5 or process\$5 or correct\$5 or adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:23

		or modif\$8 or enhanc\$6 or chang\$3) with (program\$5 or instruction)))				
S153	20012	((camera) same (port or housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick or card) with (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:24
S154	39	S153 and ((paper or document or sheet or cartridge or stick or card) near3 (print\$3 or record\$5) near3 (code or program\$5 or instruction)) same ((image or pixel or picture) near3 (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:25
S155	10067	((camera) same (port or housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick) with (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:28
S156	9	S155 and ((paper or document or sheet or cartridge or stick) near3 (print\$3 or record\$5) near3 (code or program\$5 or instruction)) same ((image or pixel or picture) near3 (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:28

S157	83	S155 and (((scan\$4 or reading or read or sens\$3) near3 (paper or document or sheet or cartridge or stick)) same (code or program \$5 or instruction) same ((image or pixel or picture) near3 (manipulat\$5 or process \$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:30
S158	79	S157 and (digital or digitiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:39
S159	52	S155 and (((scan\$4 or reading or read or sens\$3) near3 (paper or document or sheet or cartridge or stick)) same (code or program \$5 or instruction) same ((image or pixel or picture) near3 (manipulat\$5 or process \$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (code or program \$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:48
S160	15993	((scanner or copier or copying) same (port or housing or compartment or slot or inlet or insertion or hole)) and ((paper or document or sheet or cartridge or stick) with (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:53

S161	53	S160 and (((scan\$4 or reading or read or sens\$3) near3 (paper or document or sheet or cartridge or stick)) same ((memory or buffer\$3 or storage or storing) with (image or pixel or picture)) same (code or program\$5 or instruction) same ((image or pixel or picture) near3 (manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (code or program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 12:53
S162	0	"6118544".pn. and (program\$3 near3 separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:20
S163	0	"6118544".pn. and (program\$3 near7 separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:20
S164	0	"6118544".pn. and (program\$3 same separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:20
S165	1	"6118544".pn. and (instruction\$3 near3 separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:20
S166	0	"6118544".pn. and (instruction\$3 near3 print\$3 near3 separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:20
S167	1	"6118544".pn. and (instruction\$3 near6 separation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:21
S168	1	"6118544".pn. and (instruction\$3 near6 separation) same (process\$3 near3 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:22

S169	1	"6118544".pn. and (instruction\$3 near3 separation) same (insert\$5 near3 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:22
S170	2	"6118544".pn. and (insert\$5 near3 position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:23
S171	1	"656791".ap. and two \$3dimension\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 13:44
S172	55	S160 and (((scan\$4 or reading or read or sens \$3) near3 (paper or document or sheet or cartridge or stick)) same ((memory or buffer\$3 or storage or storing) with (image or pixel or picture)) same (code or program\$5 or instruction) same ((image or pixel or picture) near3 (edit\$3 or manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang \$3) with (code or program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:01
S173	7542	((camera or scanner or copier or copying) with (port or housing or compartment or slot or inlet or insertion or hole)) and ((insert\$3 or put\$3 or input\$3 or provid\$3 or plac\$3) with (paper or document or sheet or cartridge or stick) with (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:04

S174	48	S173 and (((scan\$4 or reading or read or sens\$3) near3 (paper or document or sheet or cartridge or stick)) same ((memory or buffer\$3 or storage or storing) with (image or pixel or picture)) same ((image or pixel or picture) near3 (edit\$3 or manipulat\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3) with (code or program\$5 or instruction))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:05
S175	3	S174 and ((code or program\$5 or instruction) near3 (print\$3 or imprint\$3) near3 (paper or document or sheet or cartridge or stick))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:06
S176	10290	((imaging or sensing or ccd or camera or scanner or copier or copying) with (port or housing or compartment or slot or inlet or insertion or hole)) and ((insert\$3 or put\$3 or input\$3 or provid\$3 or plac\$3) with (paper or document or sheet or cartridge or stick) with (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:10

S177	57	S176 and (((scan\$4 or reading or read or sens\$3) near3 (paper or document or sheet or cartridge or stick)) same ((memory or buffer\$3 or storage or storing) with (image or pixel or picture)) same ((image or pixel or picture) near3 (edit\$3 or manipul\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang\$3 or rotat\$5 or inver\$5 or scal\$3 or magnif\$9) with (code or program\$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:11
S178	7	S177 and ((code or program\$5 or instruction) near4 (encod\$3 or reproduc\$3 or print\$3 or imprint\$3) near4 (paper or document or sheet or cartridge or stick))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:12
S179	29	S177 and ((code or program\$5 or instruction) same (encod\$3 or reproduc\$3 or print\$3 or imprint\$3) near4 (paper or document or sheet or cartridge or stick))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:14
S180	60874	((imaging or sensing or ccd or camera or scanner or copier or copying) with (port or housing or compartment or slot or inlet or insertion or hole)) and ((insert\$3 or put\$3 or input\$3 or provid\$3 or plac\$3) near4 (housing or compartment or slot or inlet or insertion or hole or port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:18

S181	923	S180 and (((scan\$4 or reading or read or sens \$3)) same ((memory or buffer\$3 or storage or storing) with (image or pixel or picture)) same ((image or pixel or picture) near3 (edit\$3 or manipul\$5 or process\$5 or correct\$5 or adjust\$5 or modif\$8 or enhanc\$6 or chang \$3 or rotat\$5 or inver\$5 or scal\$3 or magnif\$9) with (code or program \$5 or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:19
S182	496	S181 and ((code or program\$5 or instruction) near4 (encod\$3 or reproduc \$3 or print\$3 or imprint \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:20
S183	224	S182 and ("348".clas. or "396".clas. or "358". clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:21
S184	185	S183 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:28
S185	185	S184 not fellagara	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:33
S186	174	S184 not fellegara	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:33
S187	3	"6603506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:38
S188	0	"6603506".pn. and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:40
S189	0	"6603506".pn. and S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:40

S190	5	S182 and kodak.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:40
S191	7	S181 and kodak.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:41
S192	9	S181 and nikon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:59
S193	11	S181 and olympus.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:59
S194	54	S181 and canon.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 15:02
S195	4	S194 and camera.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 15:08

6/11/09 4:13:36 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10656791.060109.wsp